




Perimeter Air Monitoring Weekly Report

Real-Time Multigas Monitoring
Bristol Landfill Air Investigation




June 15 - June 21, 2026

Average VOCs



Average H2S







Perimeter Air Monitoring Weekly Report

Real-Time Multigas Monitoring
Bristol Landfill Air Investigation



June 15 - June 21, 2026





Perimeter Air Monitoring Weekly Report

Real-Time Multigas Monitoring
Bristol Landfill Air Investigation



June 15 - June 21, 2026

Date	Daily Statistics	Station 1				Station 2				Station 3				Station 4			
		VOCs		H2S		VOCs		H2S		VOCs		H2S		VOCs		H2S	
		Average ppb	Peak ppb	Average ppb	Peak ppb	Average ppb	Peak ppb	Average ppb	Peak ppb	Average ppb	Peak ppb	Average ppb	Peak ppb	Average ppb	Peak ppb	Average ppb	Peak ppb
		Values from 15-minute intervals	1-minute max within each 15-minute interval	Values from 15-minute intervals	1-minute max within each 15-minute interval	Values from 15-minute intervals	1-minute max within each 15-minute interval	Values from 15-minute intervals	1-minute max within each 15-minute interval	Values from 15-minute intervals	1-minute max within each 15-minute interval	Values from 15-minute intervals	1-minute max within each 15-minute interval	Values from 15-minute intervals	1-minute max within each 15-minute interval	Values from 15-minute intervals	1-minute max within each 15-minute interval
June 15, 2026	Minimum	0.0	0.0	0.0	0.0	2.9	6.0	0.0	0.0	124.9	142.0	0.0	0.0	159.5	174.0	0.0	0.0
	Maximum	0.0	0.0	0.0	0.0	76.7	79.0	0.0	0.0	204.5	238.0	0.0	0.0	380.3	385.0	0.5	7.0
	Average	0.0	0.0	0.0	0.0	45.6	48.9	0.0	0.0	151.3	174.8	0.0	0.0	241.0	252.6	0.0	0.1
June 16, 2026	Minimum	0.0	0.0	0.0	0.0	16.5	19.0	0.0	0.0	125.7	143.0	0.0	0.0	200.7	211.0	0.0	0.0
	Maximum	0.0	0.0	0.0	0.0	85.4	88.0	0.0	0.0	173.3	201.0	0.0	0.0	421.8	428.0	0.2	2.0
	Average	0.0	0.0	0.0	0.0	60.9	64.3	0.0	0.0	149.5	172.6	0.0	0.0	300.1	312.6	0.0	0.0
June 17, 2026	Minimum	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	122.5	145.0	0.0	0.0	98.5	106.0	0.0	0.0
	Maximum	0.1	2.0	0.0	0.0	89.0	92.0	0.0	0.0	187.7	218.0	0.0	0.0	391.6	397.0	0.0	0.0
	Average	0.0	0.0	0.0	0.0	44.7	47.6	0.0	0.0	154.9	177.6	0.0	0.0	223.9	235.1	0.0	0.0
June 18, 2026	Minimum	0.0	0.0	0.0	0.0	37.8	41.0	0.0	0.0	151.0	168.0	0.0	0.0	183.7	197.0	0.0	0.0
	Maximum	0.3	5.0	0.0	0.0	68.4	72.0	0.2	3.0	211.6	253.0	0.0	0.0	392.4	454.0	0.1	2.0
	Average	0.0	0.1	0.0	0.0	52.7	55.9	0.0	0.1	169.9	193.2	0.0	0.0	298.6	314.0	0.0	0.0
June 19, 2026	Minimum	0.0	0.0	0.0	0.0	0.7	3.0	0.0	0.0	131.2	148.0	0.0	0.0	105.9	114.0	0.0	0.0
	Maximum	0.0	0.0	0.0	0.0	70.5	75.0	0.0	0.0	213.6	242.0	0.0	0.0	295.9	314.0	0.0	0.0
	Average	0.0	0.0	0.0	0.0	36.6	39.6	0.0	0.0	165.0	188.5	0.0	0.0	174.8	184.0	0.0	0.0
June 20, 2026	Minimum	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	128.3	150.0	0.0	0.0	73.3	79.0	0.0	0.0
	Maximum	0.0	0.0	0.0	0.0	76.8	79.0	0.0	0.0	186.9	215.0	0.0	0.0	317.7	321.0	0.0	0.0
	Average	0.0	0.0	0.0	0.0	41.0	44.2	0.0	0.0	154.6	178.5	0.0	0.0	183.4	191.9	0.0	0.0
June 21, 2026	Minimum	0.0	0.0	0.0	0.0	1.6	4.0	0.0	0.0	136.9	156.0	0.0	0.0	100.5	111.0	0.0	0.0
	Maximum	0.0	0.0	0.0	0.0	74.2	79.0	0.0	0.0	197.3	235.0	0.0	0.0	331.9	337.0	0.0	0.0
	Average	0.0	0.0	0.0	0.0	43.1	46.2	0.0	0.0	162.1	185.4	0.0	0.0	210.8	221.1	0.0	0.0

Notes:

- o Data records with a dash indicate no data is available for that interval.
- o Calibration readings and data produced during periods of sensor downtime and/or maintenance are excluded from the report.
- o The 10.6 electron volt (eV) photoionization detector (PID) sensor can detect volatile organic compounds common to landfill gas, such as aromatics (benzene), which have ionization potentials below 10.6 eV.
- o The hydrogen sulfide (H2S) electrochemical sensor is susceptible to interference from other gases, particularly dimethylsulfide (DMS) and dimethyl disulfide (DMDS) or other total reduced sulfurs, which are the same compounds that may be responsible for nuisance odor complaints.
- o The full-scale range of the H2S electrochemical sensor is 1,000 ppb, resulting in an effective range between 10 ppb and 1000 ppb (MDL 1% of full scale). Readings outside of the effective range of the sensor are qualitative, not quantitative.
- o The full-scale range of the VOC electrochemical sensor is 10,000 ppb, resulting in an effective range between 100 ppb and 10,000 ppb (MDL 1% of full scale). Readings outside of the effective range of the sensor are qualitative, not quantitative.



Perimeter Air Monitoring Weekly Report

Real-Time Multigas Monitoring Bristol Landfill Air Investigation



June 15 - June 21, 2026

Date	Daily Statistics	Bristol Met Station 1				
		Wind Direction	Wind Speed	Temperature	Relative Humidity	Barometric Pressure
		degrees	mph	°F	%	mbar
June 15, 2026	Minimum		0.0	56.1	50.8	945.2
	Maximum		5.2	74.3	93.0	947.6
	Average	280	1.6	65.9	69.5	946.6
June 16, 2026	Minimum		0.7	55.3	52.2	942.9
	Maximum		4.5	74.5	87.8	947.5
	Average	285	0.5	65.3	68.7	945.2
June 17, 2026	Minimum		0.5	55.2	38.6	942.0
	Maximum		5.3	82.6	92.0	945.2
	Average	232	1.4	69.7	66.6	943.7
June 18, 2026	Minimum		0.4	67.2	64.8	942.1
	Maximum		7.3	77.3	94.0	946.2
	Average	212	0.7	71.8	81.0	944.4
June 19, 2026	Minimum		0.2	59.9	45.1	943.2
	Maximum		4.0	78.1	95.0	949.8
	Average	319	1.4	69.8	73.8	946.5
June 20, 2026	Minimum		0.1	55.9	44.2	947.3
	Maximum		4.2	80.7	93.0	950.7
	Average	246	0.9	68.5	67.6	949.1
June 21, 2026	Minimum		0.3	58.7	46.3	946.5
	Maximum		3.9	83.7	92.0	949.3
	Average	6	0.2	72.0	68.4	947.8

Notes:

- o Dash/Blank data records indicate no data is available for that interval.
- o Wind direction is a daily (24-hr) average value; with the origin of wind in degrees; clockwise from North calculated with vector averaging.