




Perimeter Air Monitoring Weekly Report

Real-Time Multigas Monitoring
Bristol Landfill Air Investigation




June 22 - June 28, 2026

Average VOCs



Average H2S






Perimeter Air Monitoring Weekly Report

Real-Time Multigas Monitoring
Bristol Landfill Air Investigation




June 22 - June 28, 2026

Peak VOCs



Peak H2S





Perimeter Air Monitoring Weekly Report

Real-Time Multigas Monitoring
Bristol Landfill Air Investigation



June 22 - June 28, 2026

Date	Daily Statistics	Station 1				Station 2				Station 3				Station 4			
		VOCs		H2S		VOCs		H2S		VOCs		H2S		VOCs		H2S	
		Average ppb	Peak ppb	Average ppb	Peak ppb	Average ppb	Peak ppb	Average ppb	Peak ppb	Average ppb	Peak ppb	Average ppb	Peak ppb	Average ppb	Peak ppb	Average ppb	Peak ppb
		Values from 15-minute intervals	1-minute max within each 15-minute interval	Values from 15-minute intervals	1-minute max within each 15-minute interval	Values from 15-minute intervals	1-minute max within each 15-minute interval	Values from 15-minute intervals	1-minute max within each 15-minute interval	Values from 15-minute intervals	1-minute max within each 15-minute interval	Values from 15-minute intervals	1-minute max within each 15-minute interval	Values from 15-minute intervals	1-minute max within each 15-minute interval	Values from 15-minute intervals	1-minute max within each 15-minute interval
June 22, 2026	Minimum	0.0	0.0	0.0	0.0	23.1	27.0	0.0	0.0	153.5	164.0	0.0	0.0	185.4	192.0	0.0	0.0
	Maximum	0.0	0.0	0.0	0.0	76.3	79.0	0.0	0.0	217.6	239.0	0.0	0.0	327.8	346.0	0.1	2.0
	Average	0.0	0.0	0.0	0.0	52.4	55.4	0.0	0.0	175.7	196.6	0.0	0.0	252.5	262.8	0.0	0.0
June 23, 2026	Minimum	0.0	0.0	0.0	0.0	24.7	26.0	0.0	0.0	132.1	151.0	0.0	0.0	169.8	173.0	0.0	0.0
	Maximum	0.0	0.0	0.0	0.0	77.9	84.0	0.0	0.0	214.4	240.0	0.0	0.0	341.3	381.0	0.0	0.0
	Average	0.0	0.0	0.0	0.0	50.2	53.2	0.0	0.0	170.2	193.6	0.0	0.0	237.9	248.5	0.0	0.0
June 24, 2026	Minimum	0.0	0.0	0.0	0.0	1.0	3.0	0.0	0.0	122.7	141.0	0.0	0.0	131.5	137.0	0.0	0.0
	Maximum	0.0	0.0	0.0	0.0	78.3	83.0	0.0	0.0	192.1	216.0	0.0	0.0	331.3	349.0	0.0	0.0
	Average	0.0	0.0	0.0	0.0	42.5	45.8	0.0	0.0	151.9	177.2	0.0	0.0	221.1	232.4	0.0	0.0
June 25, 2026	Minimum	0.0	0.0	0.0	0.0	0.1	1.0	0.0	0.0	126.1	141.0	0.0	0.0	95.1	102.0	0.0	0.0
	Maximum	0.0	0.0	0.0	0.0	67.5	71.0	0.0	0.0	186.2	219.0	0.0	0.0	320.7	327.0	0.0	0.0
	Average	0.0	0.0	0.0	0.0	39.2	42.4	0.0	0.0	154.0	177.0	0.0	0.0	206.1	214.8	0.0	0.0
June 26, 2026	Minimum	0.0	0.0	0.0	0.0	7.8	10.0	0.0	0.0	130.3	157.0	0.0	0.0	146.1	152.0	0.0	0.0
	Maximum	0.0	0.0	0.0	0.0	71.7	77.0	0.0	0.0	195.0	233.0	0.0	0.0	328.0	359.0	0.0	0.0
	Average	0.0	0.0	0.0	0.0	44.8	47.8	0.0	0.0	162.1	184.8	0.0	0.0	237.9	247.2	0.0	0.0
June 27, 2026	Minimum	0.0	0.0	0.0	0.0	53.4	55.0	0.0	0.0	143.1	163.0	0.0	0.0	282.7	289.0	0.0	0.0
	Maximum	0.0	0.0	0.0	0.0	101.8	112.0	0.0	0.0	211.3	239.0	0.0	0.0	412.1	546.0	2.7	19.0
	Average	0.0	0.0	0.0	0.0	75.2	78.8	0.0	0.0	174.8	197.2	0.0	0.0	336.5	366.4	0.1	0.8
June 28, 2026	Minimum	0.0	0.0	0.0	0.0	22.7	24.0	0.0	0.0	150.5	168.0	0.0	0.0	207.9	217.0	0.0	0.0
	Maximum	0.0	0.0	0.0	0.0	75.8	78.0	0.0	0.0	215.9	248.0	0.0	0.0	288.3	310.0	0.0	0.0
	Average	0.0	0.0	0.0	0.0	52.9	55.8	0.0	0.0	183.0	206.0	0.0	0.0	251.5	262.9	0.0	0.0

Notes:

- o Data records with a dash indicate no data is available for that interval.
- o Calibration readings and data produced during periods of sensor downtime and/or maintenance are excluded from the report.
- o The 10.6 electron volt (eV) photoionization detector (PID) sensor can detect volatile organic compounds common to landfill gas, such as aromatics (benzene), which have ionization potentials below 10.6 eV.
- o The hydrogen sulfide (H2S) electrochemical sensor is susceptible to interference from other gases, particularly dimethylsulfide (DMS) and dimethyl disulfide (DMDS) or other total reduced sulfurs, which are the same compounds that may be responsible for nuisance odor complaints.
- o The full-scale range of the H2S electrochemical sensor is 1,000 ppb, resulting in an effective range between 10 ppb and 1000 ppb (MDL 1% of full scale). Readings outside of the effective range of the sensor are qualitative, not quantitative.
- o The full-scale range of the VOC electrochemical sensor is 10,000 ppb, resulting in an effective range between 100 ppb and 10,000 ppb (MDL 1% of full scale). Readings outside of the effective range of the sensor are qualitative, not quantitative.



Perimeter Air Monitoring Weekly Report

Real-Time Multigas Monitoring Bristol Landfill Air Investigation



June 22 - June 28, 2026

Date	Daily Statistics	Bristol Met Station 1				
		Wind Direction degrees	Wind Speed mph	Temperature °F	Relative Humidity %	Barometric Pressure mbar
June 22, 2026	Minimum		0.5	65.2	60.6	946.3
	Maximum		6.8	83.1	93.0	948.3
	Average	230	1.8	72.2	80.9	947.3
June 23, 2026	Minimum		0.1	59.1	59.3	945.9
	Maximum		7.0	73.5	94.0	953.0
	Average	353	1.2	67.9	81.9	949.1
June 24, 2026	Minimum		0.2	53.0	46.6	950.7
	Maximum		3.5	77.1	94.0	953.9
	Average	88	0.4	65.4	72.4	952.2
June 25, 2026	Minimum		0.2	56.9	46.8	949.9
	Maximum		4.0	80.9	92.0	952.7
	Average	187	0.3	69.3	70.3	951.2
June 26, 2026	Minimum		0.1	61.7	51.0	950.7
	Maximum		3.6	84.6	91.0	953.9
	Average	237	0.5	73.6	71.3	952.1
June 27, 2026	Minimum		0.2	66.1	66.6	948.8
	Maximum		7.2	81.4	93.0	952.0
	Average	212	1.2	72.0	84.0	950.5
June 28, 2026	Minimum		0.6	67.3	71.5	948.7
	Maximum		5.6	79.3	95.0	950.6
	Average	214	1.5	71.4	88.7	949.3

Notes:

- o Dash/Blank data records indicate no data is available for that interval.
- o Wind direction is a daily (24-hr) average value; with the origin of wind in degrees; clockwise from North calculated with vector averaging.